Drawing breath is the act
which starts every new life.
Every new breath bears witness
to a new event.
Every new event leads
to a new discovery.
Every new discovery brings
a new emotion.
And every new emotion
will be the source of a new
breath.

The Hi-Life Company

VICTORIA

Elica Team design

A crystal shimmer of lights and colours that fragment and reform. The absolute fascination of glass, of transparency, of the laws of light.
A technological jewel that illuminates the everyday world, bringing with it a poetic interpretation of advanced research and engineering. A transformation of function and form that shines far beyond the principle of pure utility.

OLA

Elica Team design

As in a mobius strip, the on-lookers gaze is transfixed by the mystery of the infinite, which has no beginning and no end. Thought is suspended, the eye deceived, as it seeks in vain for something familiar – colour, material, function…and finds nothing, except wonder.

PLATINUM

Elica Team design

As light shines, gleaming metal sparkles into life and the world around is mirrored in its surface. Colours and images amplify and change, performing a fascinating dance that transforms a simple object into a brilliant kaleidoscope.

GOLD STREAM

Elica Team design

Air – immaterial air…moving and following the contours of objects, at times causing their surfaces to ripple gently, like water shimmering to its breath. Gold, Black and White Stream offer up the boundaries of their functional bodies to the intangible: creating matter, creating colour – gold, black, white…

BLACK STREAM, WHITE STREAM

Elica Team design

STAR

Elica Team design

"…I saw a small and shifting sphere, its radiance almost sublime. At first I thought it was rolling; but then I realised that this movement was an illusion produced by the dizzying sights that it enclosed" Borges: The Aleph. Fragments of dreams – or reality? – that are found in the everyday world, remind us that order and the evident do not always mean certainty, because objects can assume an infinity of new identities. Or even, simultaneously, contain them.

SPACE

Elica Team design

The circle: symbol of the absolute and the alchemist. A movement that leaves and returns to the origin of everything, depicting, in reality, the shape of time itself. Space enters our everyday architecture and brings a fragment of the infinite into the world of the useful and necessary.

WAVE

Elica Team design

Wave in the Finnish language is Aalto: recalling nature and the far north, with its unmistakable world of beautiful and useful objects, and recalling, as well, one of that world's foremost interpreters. Wave is not only about function: it is light in movement, air that assumes colour, a gift that brings with it the magic poetry of the shadows.

LEGEND

Elica Team design

A sculpture of the purest form, with everyday space swirling around it. Suspended in the air, it compellingly draws the gaze of those who seek to understand its hidden function. A transformation of visual expression, where technology becomes invisible. Leaving just emotion.

GRACE

Elica Team design

An everyday, intimate form that hides the true identity of the object that it is: bright enough to illuminate the words of a book, but intimately linked to the vital breath of the air.

TWIN

Elica Team design

From the idea of the double, of symmetry, of the mirror that reflects an identical image, its form is the essence of balance and proportion. The mystery of the twin, as if in one of Leonardo's games of reversal, repeats itself.

OM, MINI OM

Elica Team design

From large to small, from one to many: a new version of Om that allows everyday reality to gather the fragments of a single original thought – fragments of colour and pure form - and design the space and the architecture of your own private world.

OM SPECIAL EDITION

Elica Team design

Om, the breath of creation. Origin and archetype, the source of ideas, images, forms. The purity of order: the square as perfection, the circle as the harmony of opposites. And the air as breath. Om: the sound of silence, a revolution, heralding the beginning of a new era.

KARMA Elica Team design

A symbol made real in an abstract design. Interaction between black and white, Yin and Yang, light and shadow.
The quest for unity endlessy alternating with separation and division. Technology offers similar principles: active and passive, open and closed.
Like a breeze, air streams across landscapes created by the silent movement of parallel surfaces. And, like Karma, lives again.

VOGUE BLACK LEATHER, METAL Elica Team design

Design and glamour. Here, sight and touch combine in search of a deeper emotion, rooted in material and its expression.
Luxuriously soft leather and austere metal clothe an object of geometric simplicity, its function clear. Architecture in miniature, where the material's use seems to defy logic. Sense and sensibility, logic and intuition: from contrasting opposites, ideas take form, to reach beyond the limits of the known…

ISOLABELLA Elica Team design

Above as it is below. The essence of an idea or intuition is not something to be hidden away: it slips through the concealing mask it wears, to be discovered in all its naked beauty, restored to the tangible world of forms.

CUBE LIGHT Elica Team design

Light and air: vision becomes matter, assumes form – a shining cube that makes real what cannot be seen but can be imagined, materialising in the three dimensions of the visible world.

OXYGÈNE

David Lewis design

The idea is synthesis. Orthogonal surfaces play with symmetry and balance to produce a form that is light, essential and minimal - like its whisper, emerging from research into the very frontiers of silence.

SOLARIS – SOLARIS EDS David Lewis design

Technology as a respectful servant: Solaris, the planet with two suns, two dawns and two sunsets. An unknowable mystery. Like an undiscovered world, Solaris is pure and perfect. Perfectly efficient: the result of an unceasing quest to push beyond the limits of knowledge.

MENHIR

David Lewis design

Technology as magic, form as archetype: an echo of the ancestral divine – higher intelligence – defined in evocative imagery. Menhir. Yet, more than that, a daring exercise in design, where technology permits the creation of forms that embody the essence of the absent.

TECHNOLOGIES

PERIMETER ASPIRATION

Perimeter aspiration represents an alternative aspiration technology. The product functions in such a way that the airflow is moved from the central area to the external perimeter of the hood, a technique that not only does not overload the motor power but in fact reduces energy consumption and noise. This method also creates a different visual effect, and Elica has taken advantage of this to make the hood even more beautiful. The use of a steel and glass panel provides better illumination for the cooking area and also completely covers the grease filter, thus greatly simplifying cleaning and maintenance operations for the product.

EVOLUTION SYSTEM

The unique super-compact "all-in-one"system, patented by Elica has revolutionized the world of "home" ventilation.
With Evolution, performance, air purification, halogen lighting, Magic Wand control, highly efficient grease and charcoal filters are built into a compact steel cylinder.

EDS3 – EDS3 PLUS

Bringing a new level of silence to decorative hoods, Elica's patented innovative noise reduction system Elica Deep Silence (EDS3) now means that at low speeds you'll barely hear the hood at all! The difference made by the sound-absorbing performance of the new EDS3 system in comparison with the previous generation is like comparing a bustling office environment with one or two people chatting quietly in a library. This remarkable reduction in domestic noise pollution creates new possibilities for both the hood and the kitchen. During normal operation Elica Deep Silence ensures a noise reduction of more than 35% compared to conventional cooker hoods. Today's technology can take us to places we could once only dream about. And thanks to the new, even more powerful Elica Deep Silence Plus system, Elica has reached an objective that once seemed impossible: a noise reduction of over 40%.

MAGIC WAND

Cutting edge technology "magically" slipped into a slender steel stem: Elica's patented innovative control interface "Magic Wand" makes operating a product not only easy but a real pleasure as well. Just a light touch on the upper section of the stem to regulate the air-flow or on the lower section to operate the decorative illumination and the lighting for the cook top. An illuminated ring changes colour to indicate the operational status of the hood. The Magic Wand electronic sensor control is present on all the hoods that use the Evolution system.

PURE TECHNOLOGY

Elica introduces "Pure" technology. Switching on the "Pure" function, your hood will automatically work at first speed for 5 minutes every half an hour, providing a constant, continuous and silent change of air.
And you don't even have to be there.

SECRET SCREEN

Secret Screen is a completely flat, vertical system consisting of a front panel which in operation, opens up as if by magic, to provide superb air flow performance. The vertical wall-installation and ultra-flat form also offer a great benefit to the cook, optimising its use above the cook top. And the hoods "secret ingredient" – its compact, versatile technology – ensures extreme flexibility for performance, design and use, making Secret Screen models truly unique.

REMOTE CONTROL

Elica's elegant remote control allows you to control ventilation and halogen lighting from anywhere in the room. It's optionally available for Evolution models, Om Special Edition and Vogue. Included with Legend.

TECHNICAL DATA

Due to the fact that products are in continuous process of improvement, Elica may at any time modify the specifications of the products present in the catalogue.

CUBE LIGHT

Elica Team Design

Model	
Installation	Wall Mounted
Finish	Stainless Steel + illuminated glass
Technical data	
Controls	Magic Wand - 3 speed + boost
N. Motors	1
IEC Airflow (m^3/h)	360
Max Airflow (m^3/h)	400
Pressure (Pa)	370
Max Noise Level dB(A)	62
Min Noise Level dB(A)	42
Power consumption (W)	190
Available widths (mm)	900
Lights	Halo 1x40W + Neon 1x40W
Version	Recycling
Duct Size (mm)	150
Systems	
Evolution	

Accessories		**Code**
Grease filter	*GFA Included*	-
Charcoal filter	*Not available*	-
Long Life Filter	*Included*	F00433/1
Remote Control Kit	*Optional*	KIT02183/1
Chimney Kit (H470-550mm IX)	*Optional*	KIT01556

Description	**Code**
Cube Light VT/F 90	65414589/1



GRACE

Elica Team Design

Model	
Installation	Wall Mounted/Ceiling
Finish	Stainless Steel + illuminated glass
Technical data	
Controls	Magic Wand - 3 speed + boost
N. Motors	1
IEC Airflow (m^3/h)	360
Max Airflow (m^3/h)	400
Pressure (Pa)	370
Max Noise Level dB(A)	62
Min Noise Level dB(A)	42
Power consumption (W)	270
Available widths (mm)	Ø 510
Lights	Halo 1x40W + Inc. 3x40W
Version	Recycling
Duct Size (mm)	150
Systems	
Evolution	

Accessories		**Code**
Grease filter	*GFA Included*	-
Charcoal filter	*Not available*	-
Long Life Filter	*Included*	F00433/1
Ducting Kit	*Optional*	KIT01611
Remote Control Kit	*Optional*	KIT02183/1
Extension Cable Kit (2,5 m)	*Optional*	KIT01889
Extension Cable Kit (5 m)	*Optional*	KIT01921

Description	**Code**
Grace VT/F 51	65414586/1



ISOLABELLA

Elica Team Design

Model		
Installation	Ceiling	
Finish	Stainless Steel + glass	
Technical data		
Controls	Magic Wand - 3 speed + boost	
N. Motors	1	
IEC Airflow (m^3/h)	360	
Max Airflow (m^3/h)	400	
Max Noise Level dB(A)	62	
Min Noise Level dB(A)	42	
Power consumption (W)	150	
Available widths (mm)	900 x 600	
Lights	Halo 1x40W	
Version	Recycling	
Duct Size (mm)	150	
Systems		
Evolution		

Accessories		**Code**
Grease filter	*GFA Included*	-
Charcoal filter	*Not available*	-
Long Life Filter	*Included*	F00433/1
Remote Control Kit	*Optional*	KIT02183/1
Extension Cable Kit (2,5 m)	*Optional*	KIT01890
Extension Cable Kit (5 m)	*Optional*	KIT01922

Description	**Code**
Isolabella IX/F 90	65414591/1



KARMA

Elica Team Design

Model		
Installation	Wall Mounted	
Finish	Stainless Steel + glass	
Technical data		
Controls	Digiltal-R - 3 speed + boost	
N. Motors	2	
IEC Airflow (m^3/h)	650	
Max Airflow (m^3/h)	800	
Pressure (Pa)	470	
Max Noise Level dB(A)	61	
Min Noise Level dB(A)	43	
Power consumption (W)	260	
Available widths (mm)	810	
Lights	Halo 2x20W	
Version	Recycling	
Duct Size (mm)	150	
Systems		
Secret Screen		
Pure Technology		
Perimeter Aspiration		

Accessories		**Code**
Grease filter	*GFA Included*	-
Charcoal filter	*Included*	F00171/1S
Long Life Filter	*Not available*	-
Chimney Kit (H430-430mm IX)	*Optional*	KIT02322

Description	**Code**
Karma VT/F 80	71816365*



* Available January 2010

LEGEND

Elica Team Design

Model		
Installation	Ceiling	
Finish	Shiny Stainless Steel + glass	
Technical data		
Controls	Touch Control - 3 speed + boost	
N. Motors	1	
IEC Airflow (m^3/h)	850	
Max Airflow (m^3/h)	960	
Pressure (Pa)	430	
Max Noise Level dB(A)	62	
Min Noise Level dB(A)	45	
Power consumption (W)	470	
Available widths (mm)	1200 x 450	
Lights	Halo 5x20W	
Version	Duct Out	
Duct Size (mm)	150	
Systems		
Perimeter Aspiration		
Remote Control		
Sound Absorbing Kit		

Accessories		**Code**
Grease filter	*GFA Included*	-
Charcoal filter	*Not available*	-
Long Life Filter	*Not available*	-

Description	**Code**
Legend VT-IX/A 120	72016367



MENHIR

David Lewis Design

Model		
Installation	Ceiling	
Finish	Stainless Steel	
Technical data		
Controls	Soft Light Push Button - 3 speed	
N. Motors	1	
IEC Airflow (m^3/h)	630	
Max Airflow (m^3/h)	700	
Pressure (Pa)	470	
Max Noise Level dB(A)	61	
Min Noise Level dB(A)	43	
Power consumption (W)	260	
Available widths (mm)	440 x 310	
Lights	Halo 4x20W	
Version	Duct Out	
Duct Size (mm)	150	
Systems		
Optimized Aspiration System		
Sound Absorbing Kit		

Accessories		**Code**
Grease filter	*GFI Professional Included*	-
Charcoal filter	*Not available*	-
Long Life Filter	*Optional*	F00262/2S
External Motor	*Optional*	40010625

Description	**Code**
Menhir Soft IX/A	56010692
Menhir H Soft IX/A	56012734
Menhir GME Soft IX/A*	56010749



* External motor not included



MINI OM, MINI OM COLOURS

Elica Team Design

Model	
Installation	Wall Mounted
Finish	Glass
Technical data	
Controls	Soft Light Push Button - 3 speed
N. Motors	1
IEC Airflow (m³/h)	660
Max Airflow (m³/h)	750
Pressure (Pa)	480
Max Noise Level dB(A)	57
Min Noise Level dB(A)	41
Power consumption (W)	290
Available widths (mm)	550
Lights	Halo 2x20W
Version	Recycling
Duct Size (mm)	150
Systems	
Perimeter Aspiration	
Sound Absorbing Kit	

Accessories		**Code**
Grease filter	*GFA Included*	-
Charcoal filter	*Not available*	-
Long Life Filter	*Included*	F00431
Chimney Kit (Mini Om Long H460-475mm IX)	*Optional*	KIT01513
Chimney Kit (Mini Om Short H240-270mm IX)	*Optional*	KIT01797

Description	**Code**	**Description**	**Code**
Mini Om BL/F/55	61614583	Mini Om Provence/F/55	61615790
Mini Om WH/F/55	61614584	Mini Om Sunrise Orange/F/55	61615792
Mini Om Apple Green/F/55	61615788	Mini Om Turquoise/F/55	61615793
Mini Om Electric Blue/F/55	61615789	Mini Om Yellow Curry/F/55	61615791





OLA

Elica Team Design

Model	
Installation	Wall Mounted/Ceiling
Finish	Stainless Steel + colour
Technical data	
Controls	Magic Wand - 3 speed + boost
N. Motors	1
IEC Airflow (m³/h)	360
Max Airflow (m³/h)	400
Pressure (Pa)	370
Max Noise Level dB(A)	62
Min Noise Level dB(A)	42
Power consumption (W)	270
Available widths (mm)	Ø 510
Lights	Halo 1x40W + Inc. 1x40W
Version	Recycling
Duct Size (mm)	150
Systems	
Evolution	

Accessories		**Code**
Grease filter	*GFA Included*	-
Charcoal filter	*Not available*	-
Long Life Filter	*Included*	F00433/1
Ducting Kit	*Optional*	KIT01611
Remote Control Kit	*Optional*	KIT02183/1
Extension Cable Kit (2,5 m)	*Optional*	KIT01889
Extension Cable Kit (5 m)	*Optional*	KIT01921

Description	**Code**
Ola Bright&Turquoise IX/F 51	65416190
Ola Bright&Red IX/F 51	65416191
Ola Bright&Green IX/F 51	65416192
Ola Bright&Violet IX/F 51	65416193





OM

Elica Team Design

Model	
Installation	Wall Mounted
Finish	Stainless Steel + Coloured glass
Technical data	
Controls	Touch Screen - 3 speed + boost
N. Motors	1
IEC Airflow (m³/h)	660
Max Airflow (m³/h)	750
Pressure (Pa)	480
Max Noise Level dB(A)	57
Min Noise Level dB(A)	41
Power consumption (W)	330
Available widths (mm)	800
Lights	Halo 4x20W
Version	Recycling
Duct Size (mm)	150
Systems	
Perimeter Aspiration	
Suond Absorbing Kit	

Accessories		**Code**
Grease filter	*GFA Included*	-
Charcoal filter	*Not available*	-
Long Life Filter	*Included*	F00264/1S
Chimney Kit (Om Long H450-450mm IX)	*Optional*	KIT01054
Chimney Kit (Om Short H220-270mm IX)	*Optional*	KIT01796

Description	**Code**
Om Touch Screen BL/F 80	61612979
Om Touch Screen WH/F 80	61612978



OM SPECIAL EDITION

Elica Team Design

Model	
Installation	Wall Mounted
Finish	Coloured glass
Technical data	
Controls	Touch Screen - 3 speed + boost
N. Motors	1
IEC Airflow (m³/h)	660
Max Airflow (m³/h)	750
Pressure (Pa)	480
Max Noise Level dB(A)	57
Min Noise Level dB(A)	41
Power consumption (W)	330
Available widths (mm)	800
Lights	Halo 4x20W
Version	Recycling
Duct Size (mm)	150
Systems	
Perimeter Aspiration	
Suond Absorbing Kit	

Accessories		**Code**
Grease filter	*GFA Included*	-
Charcoal filter	*Not available*	-
Long Life Filter	*Included*	F00264/1S
Remote Control Kit	*Optional*	KIT02183/1
Chimney Kit (Om Long H450-450mm IX)	*Optional*	KIT01054
Chimney Kit (Om Short H220-270mm IX)	*Optional*	KIT01796

Description	**Code**
Om Special Edition BL/F 80	61616219
Om Special Edition WH/F 80	61616318



OXYGÈNE

Elica Team Design

Model	
Installation	Ceiling
Finish	Stainless Steel + glass
Technical data	
Controls	Light Soft - 3 speed + boost
N. Motors	1
IEC Airflow (m^3/h)	820
Max Airflow (m^3/h)	900
Pressure (Pa)	550
Max Noise Level dB(A)	50
Min Noise Level dB(A)	35
Power consumption (W)	330
Available widths (mm)	1000 x 700
Lights	Halo 4x20W
Version	Duct Out
Duct Size (mm)	150
Systems	
Elica Deep Silence (EDSD3)	
Perimeter Aspiration	

Accessories		**Code**
Grease filter	*GFA Included*	-
Charcoal filter	*Not available*	-
Long Life Filter EDS3	*Optional*	KIT01916

Description	**Code**
Oxygène EDS IX/A 100x70	65316030



PLATINUM

Elica Team Design

Model	
Installation	Wall Mounted/Ceiling
Finish	Stainless Steel
Technical data	
Controls	Magic Wand - 3 speed + boost
N. Motors	1
IEC Airflow (m^3/h)	360
Max Airflow (m^3/h)	400
Pressure (Pa)	370
Max Noise Level dB(A)	62
Min Noise Level dB(A)	42
Power consumption (W)	190
Available widths (mm)	Ø 510
Lights	Halo 1x40W + Inc. 3x40W
Version	Recycling
Duct Size (mm)	150
Systems	
Evolution	

Accessories		**Code**
Grease filter	*GFA Included*	-
Charcoal filter	*Not available*	-
Long Life Filter	*Included*	F00433/1
Ducting Kit	*Optional*	KIT01611
Remote Control Kit	*Optional*	KIT02183/1
Extension Cable Kit (2,5 m)	*Optional*	KIT01889
Extension Cable Kit (5 m)	*Optional*	KIT01921

Description	**Code**
Platinum IX/F 51	65414587/1



SOLARIS

Elica Team Design

Model	
Installation	Wall Mounted
Finish	Stainless Steel + glass
Technical data	
Controls	Light Soft - 3 speed + boost
N. Motors	1
IEC Airflow (m^3/h)	630
Max Airflow (m^3/h)	700
Pressure (Pa)	470
Max Noise Level dB(A)	61
Min Noise Level dB(A)	43
Power consumption (W)	220
Available widths (mm)	900
Lights	Halo 2x20W
Version	Duct Out
Duct Size (mm)	150
Systems	
Perimeter Aspiration	
Suond Absorbing Kit	

Accessories		**Code**
Grease filter	*GFA Included*	-
Charcoal filter	*Not available*	-
Long Life Filter	*Included*	F00262/2S

Description	**Code**
Solaris Soft IX/A/90	65314581



SOLARIS EDS

Elica Team Design

Model	
Installation	Wall Mounted
Finish	Stainless Steel + glass
Technical data	
Controls	Light Soft - 3 speed + boost
N. Motors	1
IEC Airflow (m^3/h)	820
Max Airflow (m^3/h)	900
Pressure (Pa)	550
Max Noise Level dB(A)	50
Min Noise Level dB(A)	35
Power consumption (W)	330
Available widths (mm)	1200
Lights	Halo 4x20W
Version	Duct Out
Duct Size (mm)	150
Systems	
Elica Deep Silence (EDS3)	
Perimeter Aspiration	

Accessories		**Code**
Grease filter	*GFA EDS3 Included*	-
Charcoal filter	*Not available*	-
Long Life Filter EDS3	*Optional*	KIT01916

Description	**Code**
Solaris EDS IX/A/120	65315961



SPACE

Elica Team Design

Model		
Installation	Wall Mounted	
Finish	Stainless Steel + coloured glass	
Technical data		
Controls	Digital-R - 3 speed + boost	
N. Motors	1	
IEC Airflow (m³/h)	820	
Max Airflow (m³/h)	900	
Pressure (Pa)	550	
Max Noise Level dB(A)	50	
Min Noise Level dB(A)	35	
Power consumption (W)	290	
Available widths (mm)	780	
Lights	Halo 2x20W	
Version	Duct Out	
Duct Size (mm)	150	
Systems		
Elica Deep Silence (EDS3)	EDS3 DeepSilence	
Pure Technology		
Accessories		**Code**
Grease filter	*GFA EDS3 Included*	-
Charcoal filter	*Not available*	-
Long Life Filter EDS3	*Optional*	KIT01916
Chimney Kit (H880 mm IX)	*Optional*	KIT01932
Description		**Code**
Space EDS Digital R BL/A/78		68815548
Space EDS Digital R WH/A/78		68816317



STAR

Elica Team Design

Model		
Installation	Ceiling	
Finish	Stainless Steel + glass	
Technical data		
Controls	Magic Wand - 3 speed + boost	
N. Motors	1	
IEC Airflow (m³/h)	360	
Max Airflow (m³/h)	400	
Max Noise Level dB(A)	62	
Min Noise Level dB(A)	42	
Power consumption (W)	270	
Available widths (mm)	Ø 470	
Lights	Halo 1x40W + Inc. 3x40W	
Version	Recycling	
Systems		
Evolution		
Accessories		**Code**
Grease filter	*GFA Included*	-
Charcoal filter	*Not available*	-
Long Life Filter	*Included*	F00433/1
Remote Control Kit	*Optional*	KIT02183/1
Extension Cable Kit (2,5 m)	*Optional*	KIT01889
Extension Cable Kit (5 m)	*Optional*	KIT01921
Description		**Code**
Star IX/F 47		65414592/2



BLACK STREAM, WHITE STREAM

Elica Team Design

Model		
Installation	Wall Mounted/Ceiling	
Finish	Stainless Steel + blown glass	
Technical data		
Controls	Magic Wand - 3 speed + boost	
N. Motors	1	
IEC Airflow (m³/h)	360	
Max Airflow (m³/h)	400	
Pressure (Pa)	370	
Max Noise Level dB(A)	62	
Min Noise Level dB(A)	42	
Power consumption (W)	270	
Available widths (mm)	Ø 510	
Lights	Halo 1x40W + Inc. 3x40W	
Version	Recycling	
Duct Size (mm)	150	
Systems		
Evolution		
Accessories		**Code**
Grease filter	*GFA Included*	-
Charcoal filter	*Not available*	-
Long Life Filter	*Included*	F00433/1
Ducting Kit	*Optional*	KIT01611
Remote Control Kit	*Optional*	KIT02183/1
Extension Cable Kit (2,5 m)	*Optional*	KIT01889
Extension Cable Kit (5 m)	*Optional*	KIT01921
Description		**Code**
Black Stream VT/F 51		72716415
White Stream VT/F 51		73816571



* Available November 2009

GOLD STREAM

Elica Team Design

Model		
Installation	Wall Mounted/Ceiling	
Finish	Stainless Steel + blown glass	
Technical data		
Controls	Magic Wand - 3 speed + boost	
N. Motors	1	
IEC Airflow (m³/h)	360	
Max Airflow (m³/h)	400	
Pressure (Pa)	370	
Max Noise Level dB(A)	62	
Min Noise Level dB(A)	42	
Power consumption (W)	270	
Available widths (mm)	Ø 510	
Lights	Halo 1x40W + Inc. 3x40W	
Version	Recycling	
Duct Size (mm)	150	
Systems		
Evolution		
Accessories		**Code**
Grease filter	*GFA Included*	-
Charcoal filter	*Not available*	-
Long Life Filter	*Included*	F00433/1
Ducting Kit	*Optional*	KIT01611
Remote Control Kit	*Optional*	KIT02183/1
Extension Cable Kit (2,5 m)	*Optional*	KIT01889
Extension Cable Kit (5 m)	*Optional*	KIT01921
Description		**Code**
Gold Stream VT/F 51		72216362



* Available November 2009

TWIN

Elica Team Design

Model		
Installation	Ceiling	
Finish	Stainless Steel	
Technical data		
Controls	Magic Wand - 3 speed + boost	
N. Motors	2	
IEC Airflow (m^3/h)	720	
Max Airflow (m^3/h)	800	
Max Noise Level dB(A)	65	
Min Noise Level dB(A)	46	
Power consumption (W)	540	
Available widths (mm)	900 x 500	
Lights	Halo 2x40W + Inc. 6x40W	
Version	Recycling	
Systems		
Evolution		

Accessories		**Code**
Grease filter	*GFA Included*	-
Charcoal filter	*Not available*	-
Long Life Filter	*Included*	F00433/1
Remote Control Kit	*Optional*	KIT02183/1
Extension Cable Kit (2,5 m)	*Optional (x2 pcs)*	KIT01889 (1pcs)
Extension Cable Kit (5 m)	*Optional (x2 pcs)*	KIT01921 (1pcs)

Description	**Code**
Twin IX/F 90	65414590/1



VICTORIA

Elica Team Design

Model		
Installation	Ceiling	
Finish	Stainless Steel + glass	
Technical data		
Controls	Magic Wand - 3 speed + boost	
N. Motors	1	
IEC Airflow (m^3/h)	360	
Max Airflow (m^3/h)	400	
Pressure (Pa)	370	
Max Noise Level dB(A)	62	
Min Noise Level dB(A)	42	
Power consumption (W)	270	
Available widths (mm)	Ø 510	
Lights	Halo 1x40W + Inc. 3x40W	
Version	Recycling	
Duct Size (mm)	150	
Systems		
Evolution		

Accessories		**Code**
Grease filter	*GFA Included*	-
Charcoal filter	*Not available*	-
Long Life Filter	*Included*	F00433/1
Ducting Kit	*Optional*	KIT01611
Remote Control Kit	*Optional*	KIT02183/1
Extension Cable Kit (2,5 m)	*Optional*	KIT01889
Extension Cable Kit (5 m)	*Optional*	KIT01921

Description	**Code**
Victoria VT/F 51	60416363



VOGUE METAL, VOGUE BLACK LEATHER

Elica Team Design

Model		
Installation	Ceiling	
Finish	Stainless Steel + Black Leather	
Technical data		
Controls	Magic Wand - 3 speed + boost	
N. Motors	2	
IEC Airflow (m^3/h)	1300	
Max Airflow (m^3/h)	1450	
Pressure (Pa)	435	
Max Noise Level dB(A)	56	
Min Noise Level dB(A)	40	
Power consumption (W)	500	
Available widths (mm)	1000 x 450	
Lights	Halo 2x20W	
Version	Duct Out	
Duct Size (mm)	200	
Systems		
Elica Deep Silence Plus (EDS3 Plus)	EDS3 Plus+	

Accessories		**Code**
Grease filter	*GFA EDS3 Included*	-
Charcoal filter	*Not available*	-
Long Life Filter EDS3	*Optional (x2 pcs)*	KIT01916 (1 pcs)
Remote Control Kit	*Optional*	KIT02183/1

Description	**Code**
Vogue Metal A/100	72816416
Vogue Black Leather A/100	71916366



* Available November 2009

WAVE

Elica Team Design

Model		
Installation	Wall Mounted/Ceiling	
Finish	Stainless Steel	
Technical data		
Controls	Magic Wand - 3 speed + boost	
N. Motors	1	
IEC Airflow (m^3/h)	360	
Max Airflow (m^3/h)	400	
Pressure (Pa)	370	
Max Noise Level dB(A)	62	
Min Noise Level dB(A)	42	
Power consumption (W)	270	
Available widths (mm)	Ø 510	
Lights	Halo 1x40W + Inc. 3x40W	
Version	Recycling	
Duct Size (mm)	150	
Systems		
Evolution		

Accessories		**Code**
Grease filter	*GFA Included*	-
Charcoal filter	*Not available*	-
Long Life Filter	*Included*	F00433/1
Ducting Kit	*Optional*	KIT01611
Remote Control Kit	*Optional*	KIT02183/1
Extension Cable Kit (2,5 m)	*Optional*	KIT01889
Extension Cable Kit (5 m)	*Optional*	KIT01921

Description	**Code**
Wave IX/F 51	65414588/1



Index

Black Stream, White Stream	10
Cube Light	34
Gold Stream	8
Grace	20
Isolabella	32
Karma	28
Legend	18
Menhir	40
Mini Om	24
Ola	4
Om	24
Om Special Edition	26
Oxygène	36
Platinum	6
Solaris	38
Solaris Eds	38
Space	14
Star	12
Twin	22
Victoria	2
Vogue Leather	30
Vogue Metal	30
Wave	16

Technologies	44
Technical data	46

Elica
Via Dante 288
60044 Fabriano AN Italy
T +39 0732 6101
F +39 0732 610249
info@elica.com
www. elica.com
www.elicacollection.com

Showroom, Milano - Osaka

DR Cooker Hoods Ltd
2 Alpha Road Aldershot
Hampshire GU12 ARG
T 01252 351111
F 01252 311608
sales@drcookerhoods.co.uk
www. elica.co.uk

Product Design
Elica Team, coordinator Fabrizio Crisà

Art Direction
Fabrizio Crisà

Concept and production
Acanto Comunicazione

Photographs
33 Multimedia Studio
Paolo Poli - *page xx*
products pictures

Amati Bacciardi
woman pictures

Post production
Elica Team with Rob Marinelli

Photolitographs
Selecolor, Firenze

Texts
Il Tamburino, Milano

Coordination
Barbara Persigilli

Print
xxxxxxxx

This catalogue is of exclusive property of Elica S.p.A. - All rights are reserved.
Any form of total or partial reproduction of the catalogue is strictly forbidden.

The printing process do not always permit a faithful reproduction of tones of originals.

06/2009

MC00xxx